LOOKBOOK NO. 16

FILATI

Design 9

JACKET



LOOKBOOK NO. 16



Design 9

JACKET

Size 36/38 (40/42, 44/46, 48/50) Instructions are given for first size. Figures in parenthesis refer to larger sizes. When only one figure is given, it applies to all sizes.

Materials: 150 (150, 175, 175) g of Lana Grossa Silkhair (70% superkid mohair, 30% silk; 210 m/25 g) in Off White (col 52), 50 (50, 75, 75) g in Signal Green (col 157), 25 (25, 50, 50) g in Curry (col 160), 75 (75, 100, 100) g in Pearl Beige (col 123), 50 (50, 75, 75) g in Pumpkin (col 190) and 75 (75, 100, 100) g in Rust (col 181). Size 3.5 and 4 mm needles.

Note: Work with 2 strands held tog throughout as given in instructions.

Rib patt: Selvage st, * k1, p1; rep from * to last 2 sts, k1, selvage st.

St st: K on RS, p on WS.

Two-stitch selvage: At beg of row, sl 1 pwise, k1; at end of row, work to last 2 sts, sl 1 pwise, k1.

Right front band: Row 1 (RS): Two-stitch selvage, [p1, k1] 4 times, p1. Row 2 (WS): [K1, sl 1 pwise wyif] 4 times, k1, twostitch selvage. Row 3 (RS): Two-stitch selvage, [sl 1 pwise wyif, k1] 4 times, sl 1 pwise wyif. Work rows 1 – 3 once, then rep rows 2 and 3.

Left front band: Row 1 (RS): [P1, k1] 4 times, p1, two-stitch selvage. Row 2 (WS): Two-stitch selvage, [k1, sl 1 pwise wyif] 4 times, k1. Row 3 (RS): [Sl 1 pwise wyif, k1] 4 times, sl 1 pwise wyif, two-stitch selvage. Work rows 1 – 3 once, then rep rows 2 and 3.

Stripe patt back and fronts: Work 14 (15, 16, 17) cm with 1 strand Rust and 1 strand Off White held tog, 9 cm with 1 strand Curry and 1 strand Off White held tog, 4.5 cm with 2 strands Pearl Beige held tog, 14 cm with 1 strand Pumpkin and 1 strand Off White held tog, 7 cm with 1 strand Pearl Beige and 1 strand Rust held tog, 16 (17, 18, 19) cm with 1 strand Signal Green and 1 strand Off White held tog, remainder with 1 strand Pearl Beige and 1 strand Off White held tog.

Stripe patt sleeves: Work 11 cm with 1 strand Curry and 1 strand Off White held tog, 5.5 cm with 2 strands Pearl Beige held tog, 13 cm with 1 strand Pumpkin and 1 strand Off White held tog, 7 cm with 1 strand Pearl Beige and 1 strand Rust held tog, remainder with 1 strand Signal Green and 1 strand Off White held tog.

Full-fashion increase: On RS row: M1R, 3 sts in from each edge.

Full-fashion decrease: At beg of RS row, selvage st, 12 sts in St st, skp; at end of RS row, work to last 15 sts, k2tog, 12 sts in St st, selvage st.

Gauge: 20 sts and 24 rows = 10×10 cm in St st with size 4 mm needles and 2 strands held tog.

Back: With size 3.5 mm needles and 1 strand Rust and 1 strand Off White held tog cast on 101 (109, 117, 125) sts. Work in rib patt

for 7 cm, ending with a WS row. Change to size 4 mm needles. Maintaining selvage sts, work in St st and stripe patt and shape sides as foll: Working full-fashion inc, inc 1 st at each end of first RS row, then every 16th row 8 times = 119 (127, 135, 143) sts. Work even until piece meas 71 cm from cast-on, ending with a WS row. Shape armholes: Bind off 3 sts at beg of next 2 rows, 2 sts at beg of next 2 rows, 1 st at beg of next 12 rows = 97 (105, 113, 121) sts. Cont until armhole meas 16 (18, 20, 22) cm, ending with a WS row. Shape neck: Next row (RS): Bind off center 19 sts. Working each side separately, bind off 3 sts at each neck edge 1 time, 2 sts 1 time, and when armhole meas 18 (20, 22, 24) cm, bind off rem 34 (38, 42, 46) sts for each shoulder.

Pocket lining: Make 2. With size 4 mm needles and 1 strand Signal Green and 1 strand Off White held tog cast on 33 (35, 37, 39) sts. Work in St st for 13 cm, ending with a WS row. Break Signal Green and Off White. Join 2 strands Pearl Beige held tog and cont in St st until piece meas 16.5 (17, 17,5, 18) cm from cast-on, ending with a RS row. Place sts on holder, cut yarn.

Left front: With size 3.5 mm needles and 1 strand Rust and 1 strand Off White held tog cast on 58 (62, 66, 70) sts. Next row (RS): Work 47 (51, 55, 59) sts in rib patt, work left front band over rem 11 sts. Cont in patt as set by last row until piece meas 7 cm from cast-on, ending with a WS row. Change to size 4 mm needles. Next row (RS): Selvage st, 2 sts in St st, M1R, work in St st to last 11 sts, work left front band. Cont in patt as set by last row, rep full-fashion inc every 16th row 8 times = 67 (71, 75, 79) sts. At same time, when piece meas 25 (26, 27, 28) cm from end of rib patt, work next WS row as foll: Patt over first 19 (20, 21, 22) sts, work next 33 (35, 37, 39) sts in rib patt for pocket, patt to end. Work in patt as set by last row for a total of 2.5 cm, ending with a WS row. Next row (RS): Work to rib patt, bind off 33 (35, 37, 39) rib sts, patt to end. Next WS (pocket joining) row: Patt to boundoff sts, with WS of pocket lining facing, purl over 33 (35, 37, 39) of lining, patt to end. Cont in patt across all sts until piece meas 55 cm from cast-on, ending with a WS row. Shape neck: Working full-fashion dec, dec 1 st at end of next RS row, then every 8th (then every 8th / then every alt 8th and 10th / then every 10th) row 9 times. At same time, when same length as back to armhole, shape armhole at right edge same as for back and when same length as back to shoulder, bind off 34 (38, 42, 46) shoulder sts at beg of next RS row = 12 sts rem for neckband. Cont in patt over neckband sts for 11 cm. Bind off all sts.

Right front: Work same as left front, reversing all shaping and patt placement.

Sleeves: With size 3.5 mm needles and 1 strand Rust and 1 strand Off White held tog cast on 71 (75, 79, 83) sts. Work in rib patt for 8 cm, ending with a WS row. Change to size 4 mm needles. Maintaining selvage sts, work in St st and stripe patt and shape sleeve as foll: Working full-fashion inc, inc 1 st at each end of first RS row, then every 18 (14, 10, 8)th row 3 (5, 7, 9) times = 79 (87, 95, 103) sts. Work even until piece meas 35 cm from end of rib patt, ending with a WS row. Shape sleeve cap: Bind off 3 sts at beg of next 2 rows, 2 sts at beg of next 2 rows, 1 st at beg of next

LOOKBOOK NO. 16





Design 9

JACKET

12 rows. Bind off rem 57 (65, 73, 81) sts.

Finishing: Sew pocket linings in place on WS. Sew shoulder seams. Sew bound-off edges of neckbands tog, then sew neckban





GAUGE SWATCH

Before you begin knitting...

...make a gauge swatch. Use the recommended needles, yarns and pattern stitch for your gauge swatch. It should measure approx. 12 cm x 12 cm. Cast on and bind off rows, as well as selvage stitches should not be included in the measurement. Pin your swatch and block it as you would the finished pieces of the garment. Count stitches and rows over 10 cm. If your gauge swatch is too small, switch to larger needles. If your gauge swatch is too big, switch to smaller needles.

ABBREVIATIONS